

# EVERSEAM®

## THE NEXT GENERATION METAL ROOFING

Everseam® – Roof: Dark Gray

### Advantages

- Thicker steel reduces the appearance of “oil-canning” and purlin see-through
- Greater snow and wind yields and hail resistance
- Concealed Fastener System
- Installation over an existing roof
- Energy Efficient

RECOMMENDED  
**3:12**  
PITCH  
AND ABOVE

**24**  
GAUGE

**20"**  
(+ or - 1/4")  
OVERALL  
COVERGE  
\*CUSTOM WIDTH  
AVAILABLE

**1 1/2"**  
RIB  
HEIGHT

**Everlast  
Roofing, Inc.**  
OUR NAME SAYS IT ALL

MARTINSMETLROOFING.COM


# EVERSEAM®

## Standard Specifications

- Structural Steel Grade 50 produced in conformance with ASTM792
- 50,000 PSI minimum yield
- Custom cut to the inch up to 40'
- Available in a wide variety of colors



Everseam® – Roof: Matte Black



## Description

### Attractive Design

The Everseam® panel has the elegant look of a traditional style standing seam roof, with the strength and durability of high strength 24-gauge steel. Our high-quality, pre-painted metal roof affords an attractive life cycle cost as they will not crack, shrink, or erode. This makes them a long lasting alternative to many conventional roofing materials. A homeowner is certain to achieve a designer look from our wide selection of styles and colors, creating an aesthetically pleasing appearance that will have a positive influence on re-sale.

### Superior Strength

Everseam® is 20" (+/- 1/4") wide with a 1 1/2" high seam. The integral locking seam is held in place by concealed metal clips, and is installed over a waterproof solid substrate. The absence of exposed fasteners and the weather-tight side lap, allow for applications on roof pitches as low as a 3:12. Everseam®'s durability and aesthetic appearance make an ideal choice for residential roofing applications.

SERIES	24 Gauge
SUBSTRATE	Galvalume / Galvanized
FINISH	Fluropon® / Illumipon®
FILM INTEGRITY	35 Years
FADE / CHALK	35 Years
PERFORMANCE	UP TO 25 Years

### UL Ratings

- UL Construction No#560 UPLIFT TEST
- UL 2218 Class 4 IMPACT RESISTANCE
- UL 790 Class A FIRE RESISTANCE



260 Walnut Bottom Rd  
Shippensburg, PA17257  
717-532-3460